

3.

1× 600t/d

1× 12MW

600 X/

9196

30-111/2 E-1 1/2 i

(GB18485 - 2014)

GB19923- 2005 1

6-111/2

"

3.3

3-3

1

3-3

			1
			1
			1

3.4

3-4

1

3-4

			1 /
			1 /
			1 /
			1 /
			1 /

3.5

3-5

1

3-5

		PH	
		PH	

3.6

3-6

1

1

3-6

1		1	1

3.7

3-7

1

1

3-7

	T1		1
	T2		1
	T3		1
	T4		1
	T5		1

3.8

3-8

3-8

			1
			1
			1

4.

4.1

4-1

4-1

GB 11901-1989

HJ 828-2017

HJ 535-2009

	(5.1 5)	GB/T 5750.5-2023
	()	HJ/T 342-2007
	4-	HJ 503-2009
		GB 7484-1987
	25.1 6	GB/T 5750.6-2023
	(8.2 5)	GB/T 5750.5-2023
		GB 7493-1987

4.2

4-2

4-2

()
(2003) ()
() ()

HJ 657-2013

			HJ 1262-2022
			HJ 533-2009
		() 2003)	()
			HJ 1263-2022
		-	HJ 604-2017
			HJ 657-2013
		() (2003)()	()
			HJ533-2009
		/	HJ 955-2018
		() (2003)	()
		() (2003)	()
		-	HJ 77.2-2008

4.3

4-3

4-3

Handwritten: HJ300

HJ300	

766-2015

4. 4

4- 4

4- 4

Handwritten: 7

		12	HJ 803-2016
		-	

5.

5.1

5-1

5-1

1			1
2			1
3			1
4			1
5			1
6			1
7			1
8			1
9			1
10			1
11			1
12			2
13			3
14			2
15			2
16			1
17			2
18			2

f

1

O2/CO2

2

3

4

5

6

7

8

9

XAD

10

HJ/T 91-2002

HJ 494-2009

a

b

c

3

a =


e

AVA6218B

1m

1.2m

5m/s



1m

2

3

500g

4

7.

7.1

7.2

7.3

7.4



10%

1

7.7

r

r



1

